Lift King 9/2-Post Pro-Line Workshop Hoist

NEW for 2021 - Australian Certified - EXTRA TOUGH ...

Commercial-Grade Quality - at NO Extra Cost! The ONLY lifts with an exclusive LIFETIME Structural Warranty + 3-Year Powerpack Warranty*

FEATURES

- 9,000 Lb. Capacity
- Dual hydraulic chain-driven cylinders manufactured to ANSI standards
- Aircraft quality cable is used for synchronization
- Self-lubricating UHMW Polyethylene sliders
- Single-point safety release allows technician to easily release both column locks from one column
- Automatic arm restraints
- Stackable rubber pads



- Dual Locks in each column + Single-Point Release is more convenient and quicker than manually releasing the locks from both posts...
- Throttle-Control inside cylinder. (in case of hydraulic system or hose failure, the arms will not descend rapidly...)





· Screw-up Rubber Pads with 1 x Truck Adaptor for higher lift-height of 1.930m +...

- · Super Symmetric Arms allow you to load vehicles in an asymmetric or symmetric configurtion.
- · Automatic Arm Restraints.
- Bubber Door Guards
- · Self-Lubricating Sliders



· Optional Base Plate Extension Kit allows you to safely install the lift into less-than-perfect floors...





 Aluminium power-pack with 24V (low voltage) Control Box - adds to safety.....



- Fast & Easy to use Single-Point Lock Release
- * Specifications may differ slightly on 2021 model. Please check the schematic for updates...




1300 79 5438 0413 29 3318 02 9743 9355

SPECIFICATIONS

Model	Style	Lifting Capacity	Lifting Time	А	В	С	D	E	F	Gross Weight	Motor
				Lifting Height	Overall Height	Overall Width	Drive-Thru Clearance	Width Between Columns	Minimum Pad Height		
9/2 Pro	Floorplate	4.0 T	49 Seconds	1940-2210mm	2841mm	3460mm	2560mm	2850mm	90mm	675kg	2.0/3.0HP

- * Private Use. • Optional 2-Year Extended Parts Warranty available. Call for details...
 - Colours are representational only.

THE NEW COMMERCIAL GRADE 2-POST SERVICE LIFT FOR 2021







Aluminum motor & transparent oil tank



Chain pulley is processed under heat treatment






Advanced

Features



New safety teeth is done by heat treatment, sustain 180-340kgs pull stength





110mm diameter of cable pulley





Liff king 'Pro-Line' z-Post Advantages











Organized low voltage control box 24V



Nicer and sronger welding by Robot





Advanced

Features



Chain protection; Stable DP chain with 60 years history



Absorption of iron



roll process



Liff king 'Pro-Line' z-Post Advantages



Stronger steel cable with 9.3mm diameter

