


Lift King 10/2-Post Adjustable Height (4500kgs value model)



Features



True 5mm
Column Thickness
(super strong)



1-Piece
Ladder-Lock



16mm Baseplate
Thickness
(stronger than
standard 14mm)



Double-S Columns
(super strong)



Arm Restraints
(easy to engage)



Chain Cover
(Safe & Easy
Installation)



Parachute Valve
(Anti-Burst Protection)



Double Seal Ring
Protection
(PU Material)



4.5T 10000lb series lift

Lifting Method	Chain Drive
Lock/Release System	Single Point
Lifting Capacity	4500kg(10000lb)
Lifting Height drop-in pad	A 1880mm(74")
Pod Min.height drop-in pad	B 90mm(3.5")
Height Overall	C 3420-3720(mm)
Width Overall	D 3420mm(134.6")
Drive Through	E 2530mm(100")
Width Between Columns	F 2830mm(111.4")
Limit switch height	G 3440mm(135.4")
2 Stage Arm	H 910-1500mm
3 Stage Arm	I 750-1500mm
Concrete Thickness	J 150mm(5.9")
Lifting Time	50S
Motor Power	2.2kw(3HP)



Height Limit Switch



www.herohoists.com.au
1300 79 5438



**Lift King Value Model
Adjustable Height
Clearfloor Service Hoist**

Lifting Capacity: 4500KG

Operation: Manually-Operated

**Double-S Posts +
Asymmetric Arm Design**

**Installed Height:
3.420m or 3.720m**

*** Actual colour may vary...**



Lift King Value Model Adjustable Height Clearfloor Service Hoist

Lifting Capacity: 4500KG

Operation: Manually-Operated



**Double-S Post
+ Asymmetric Arm Design**


**Installed Height:
3.420m or 3.720m**



**Lift King Value Model
Adjustable Height
Clearfloor Service Hoist**

Lifting Capacity: 4500KG

Operation: Manually-Operated



**Double-S Post
+ Asymmetric Arm Design**

**Installed Height:
3.420m or 3.720m**



**Lift King Value Model
Adjustable Height
Clearfloor Service Hoist**

Lifting Capacity: 4500KG

Operation: Manually-Operated



Single-Point Lock Release

**Double-S / Asymmetric
Arm Design**

**Installed Height:
3.420m or 3.720m**

Lift King Value Model Adjustable Height Clearfloor Service Hoist

Lifting Capacity: 4500KG
Operation: Manually-Operated



**Double-S Posts +
Asymmetric Arm Design**

**Installed Height:
3.420m or 3.720m**

* Actual colour may vary...



www.herohoists.com.au